

Certificate of Product Approval

Certificate Number: 312f

Issue: 10

Bradbury Security

6 Atkinsons Way
Foxhills Industrial Estate
Scunthorpe
North Lincolnshire
DN15 8QJ

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Product

M2M²
hinged security doorsets

Standard

LPS 1175: Issue 7
Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Vurley
Verifier

23 February 2024
Date of Issue

15 April 2013
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 312f Bradbury Security

Issue: 10

Hinged Security Doorsets

Product Name	Product Type	Minimum Structural Opening Height (m)	Maximum Structural Opening Height (m)	Minimum Structural Opening Width (m)	Maximum Structural Opening Width (m)	Security Rating	LPCB Ref. No.
'M2M2'	Single leaf outward opening doorset	1.0	2.93	0.74	1.43	2	312f/01
	Single leaf outward opening doorset with side and/or over panels	1.0	3.93	0.74	4.18	2	
	Single leaf inward opening doorset	1.0	2.93	0.6	1.43	2	
	Single leaf inward opening doorset with removeable over panel	1.2	4.13	0.6	1.43	2	
	Single leaf inward opening doorset with side and/or over panels	1.0	3.93	0.74	4.18	2	
	Double leaf outward opening doorset ¹	1.0	2.93	1.15	2.60	2 ²	
	Double leaf outward opening doorset with side and/or over panels ¹	1.0	3.93	1.15	5.20	2 ²	
	Double leaf inward opening doorset	1.0	2.93	0.9	2.6	2 ²	
	Double leaf inward opening doorset with removeable over panel	1.2	4.13	0.9	2.6	2 ²	
	Double leaf inward opening doorset with side and/or over panels	1.0	3.93	1.0	5.20	2 ²	

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Vurley
Verifier

23 February 2024
Date of Issue

15 April 2013
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 312f Bradbury Security

Issue: 10

Approved Locking Configurations³

Product Name	Type	Compatible Locking Devices	
		Active Leaf	Passive Leaf
'M2M2'	Single leaf outward opening doorset	1 to 36, 40 to 64	N/A
	Single leaf outward opening doorset with side and/or over panels	1 to 36, 40 to 64	N/A
	Single leaf inward opening doorset	1, 6, 18, 21, 24, 27, 33, 36, 40 to 51 and 54	N/A
	Single leaf inward opening doorset with removeable over panel	1, 6, 18, 21, 24, 27, 33, 36 and 54	N/A
	Single leaf inward opening doorset with side and/or over panels	1, 6, 18, 21, 24, 27, 33, 36, 40 to 51 and 54	N/A
	Double leaf outward opening doorset	1 to 36, 40 to 64	37
	Double leaf outward opening doorset with side and/or over panels	1 to 36, 40 to 64	37
	Double leaf inward opening doorset	1, 6, 18, 21, 24, 27, 33, 36, 40 to 51 and 54	37, 38 and 39
	Double leaf inward opening doorset with removeable over panel	1, 6, 18, 21, 24, 27, 33, 36 and 54	37, 38 and 39
	Double leaf inward opening doorset with side and/or over panels	1, 6, 18, 21, 24, 27, 33, 36, 40 to 51 and 54	37

Compatible Locking Devices

Compatible Locking System	Manufacturer	Model	Type	Compatible Operating Device		Compatible Cylinders
				External Face	Internal Face	
1	Tindall Engineering Limited	Mico Abryll AD3 / USCH2	Single point locking system with automatic deadlocking	Key and lever handle	Key or thumbturn and lever handle	A to BJ
2	Tindall Engineering Limited	Mico Abryll PE2	Single point panic exit device	None	Panic bar	-
3	Tindall Engineering Limited	Mico Abryll PE2/ ELK2	Single point panic exit device	Key via ELK2 and lever handle	Panic bar	A to AG, BH, BI

This certificate and appendix is maintained and held in force through regular surveillance activities


Signed for BRE Global Ltd.

Chris Vurley
Verifier

23 February 2024
Date of Issue

15 April 2013
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 312f Bradbury Security

Issue: 10

Compatible Locking System	Manufacturer	Model	Type	Compatible Operating Device		Compatible Cylinders
				External Face	Internal Face	
4	Tindall Engineering Limited	Mico Abryll PE1	Single point emergency exit device	None	Push pad	-
5	Tindall Engineering Limited	Mico Abryll PE1/ ELK2	Single point emergency exit device	Key via ELK2 and lever handle	Push pad	A to AG, BH, BI
6	Tindall Engineering Limited	Mico Abryll PE3	Single point emergency exit device	None	Lever handle	-
7	Tindall Engineering Limited	Mico Abryll PE3/ ELK2	Single point emergency exit device	Key via ELK2 and lever handle	Lever handle	A to AG, BH, BI
8	Tindall Engineering Limited	Mico Abryll AD1	Single-point locking system with automatic deadlock	None	Key or thumbturn and push pad	-
9	Tindall Engineering Limited	Mico Abryll AD2	Single-point locking system with automatic deadlock	None	Key or thumbturn and full width push pad	-
10	Tindall Engineering Limited	Mico Abryll AD3	Single-point locking system with automatic deadlock	None	Key or thumbturn and lever handle	-
11	Tindall Engineering Limited	Mico Abryll MD1	Single-point locking system with manual deadlock	None	Key or thumbturn and push pad	-
12	Tindall Engineering Limited	Mico Abryll MD2	Single-point locking system with manual deadlock	None	Key or thumbturn and full width push pad	-
13	Tindall Engineering Limited	Mico Abryll MD3	Single-point locking system with manual deadlock	None	Key or thumbturn and lever handle	-
14	Tindall Engineering Limited	Mico Abryll AD1 / USCH2	Single-point locking system with automatic deadlock	Key via USCH2 cylinder guard and lever handle	Push pad deadlocked by a key or thumbturn	A to BJ
15	Tindall Engineering Limited	Mico Abryll AD2 / USCH2	Single-point locking system with automatic deadlock	Key via USCH2 cylinder guard and lever handle	Full width push pad deadlocked by a key or thumbturn	A to BJ

This certificate and appendix is maintained and held in force through regular surveillance activities


Signed for BRE Global Ltd.

Chris Vurley
Verifier

23 February 2024
Date of Issue

15 April 2013
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 312f Bradbury Security

Issue: 10

Compatible Locking System	Manufacturer	Model	Type	Compatible Operating Device		Compatible Cylinders
				External Face	Internal Face	
16	Tindall Engineering Limited	Mico Abryll SATE AD1 / USCH2	Single-point emergency exit device with automatic deadlock	Key via USCH2 cylinder guard and lever handle	Push pad	A to BJ
17	Tindall Engineering Limited	Mico Abryll SATE AD2 / USCH2	Single-point panic exit device with automatic deadlock	Key via USCH2 cylinder guard and lever handle	Panic bar	A to BJ
18	Tindall Engineering Limited	Mico Abryll SATE AD3 / USCH2	Single-point emergency exit device with automatic deadlock	Key via USCH2 cylinder guard and lever handle	Lever handle	A to BJ
19	Tindall Engineering Limited	Mico Abryll MD1 / USCH2	Single-point locking system with manual deadlock	Key via USCH2 cylinder guard and lever handle	Push pad deadlocked by a key or thumbturn	A to BJ
20	Tindall Engineering Limited	Mico Abryll MD2 / USCH2	Single-point locking system with manual deadlock	Key via USCH2 cylinder guard and lever handle	Full width push pad deadlocked by a key or thumbturn	A to BJ
21	Tindall Engineering Limited	Mico Abryll MD3 / USCH2	Single-point locking system with manual deadlock	Key via USCH2 cylinder guard and lever handle	Key or thumbturn and lever handle	A to BJ
22	Tindall Engineering Limited	Mico Abryll SATE MD1 / USCH2	Single-point emergency exit device with manual deadlock	Key via USCH2 cylinder guard and lever handle	Push pad	A to BJ
23	Tindall Engineering Limited	Mico Abryll SATE MD2 / USCH2	Single-point panic exit device with manual deadlock	Key via USCH2 cylinder guard and lever handle	Panic bar	A to BJ
24	Tindall Engineering Limited	Mico Abryll SATE MD3 / USCH2	Single-point emergency exit device with manual deadlock	Key via USCH2 cylinder guard and lever handle	Lever handle	A to BJ
25	Tindall Engineering Limited	Mico Abryll EM1 / USCH2	Single point locking system with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Electro-mechanical access control device with key override (via USCH2 cylinder guard) and lever handle	Electro-mechanical access control device with thumbturn override and push pad	A to BJ

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Vurley
Verifier

23 February 2024
Date of Issue

15 April 2013
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 312f Bradbury Security

Issue: 10

Compatible Locking System	Manufacturer	Model	Type	Compatible Operating Device		Compatible Cylinders
				External Face	Internal Face	
26	Tindall Engineering Limited	Mico Abryll EM2 / USCH2	Single point locking system with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Electro-mechanical access control device with key override (via USCH2 cylinder guard) and lever handle	Electro-mechanical access control device with thumbturn override and full width push pad	A to BJ
27	Tindall Engineering Limited	Mico Abryll EM3 / USCH2	Single point locking system with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Electro-mechanical access control device with key override (via USCH2 cylinder guard) and lever handle	Electro-mechanical access control device with thumbturn override and lever handle	A to BJ
28	Tindall Engineering Limited	Mico Abryll EM1	Single point locking system with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Electro-mechanical access control device and lever handle	Electro-mechanical access control device with thumbturn override and push plate	--
29	Tindall Engineering Limited	Mico Abryll EM2	Single point locking system with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Electro-mechanical access control device and lever handle	Electro-mechanical access control device with thumbturn override and full width push pad	-
30	Tindall Engineering Limited	Mico Abryll EM3	Single point locking system with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Electro-mechanical access control device and lever handle	Electro-mechanical access control device with thumbturn override and lever handle	-
31	Tindall Engineering Limited	Mico Abryll SATE EM1 / USCH2	Single-point emergency exit device with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Lever handle plus external access control entry device and key override via USCH2 cylinder guard	Push pad	A to BJ

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Vurley
Verifier

23 February 2024
Date of Issue

15 April 2013
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 312f Bradbury Security

Issue: 10

Compatible Locking System	Manufacturer	Model	Type	Compatible Operating Device		Compatible Cylinders
				External Face	Internal Face	
32	Tindall Engineering Limited	Mico Abryll SATE EM2 / USCH2	Single-point panic exit device with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Lever handle plus external access control entry device and key override via USCH2 cylinder guard	Panic bar	A to BJ
33	Tindall Engineering Limited	Mico Abryll SATE EM3 / USCH2	Single-point emergency exit device with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Lever handle plus external access control entry device and key override via USCH2 cylinder guard	Lever handle	A to BJ
34	Tindall Engineering Limited	Mico Abryll SATE EM1	Single-point emergency exit device with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Electro-mechanical access control device and lever handle	Push pad	-
35	Tindall Engineering Limited	Mico Abryll SATE EM2	Single-point panic exit device with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Electro-mechanical access control device and lever handle	Panic bar	-
36	Tindall Engineering Limited	Mico Abryll SATE EM3	Single-point emergency exit device with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Electro-mechanical access control device and lever handle	Lever handle	-
37	Albert Jagger	A35 0840/002	Sprung tower bolt	-	Sprung tower bolt	-
38	Tindall Engineering Limited	MSTB	Two surface mounted drop bolts	-	Surface mounted drop bolts	-
39	Tindall Engineering Limited	HSTB	Two surface mounted drop bolts	-	Surface mounted drop bolts	-

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Vurley
Verifier

23 February 2024
Date of Issue

15 April 2013
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 312f Bradbury Security

Issue: 10

Compatible Locking System	Manufacturer	Model	Type	Compatible Operating Device		Compatible Cylinders
				External Face	Internal Face	
40	Tindall Engineering Limited	Mico Elite AD3 / USCH2	Single point locking system with automatic deadlocking	Key via USCH2 cylinder guard and lever handle	Key or thumbturn and lever handle	A to BJ
41	Tindall Engineering Limited	Mico Elite PE3	Single point emergency exit device	None	Lever handle	-
42	Tindall Engineering Limited	Mico Elite PE3/ Standard H&S2	Single point emergency exit device	Padlockable hasp & staple device Standard H&S2	Lever handle	a to v
43	Tindall Engineering Limited	Mico Elite AD3	Single-point locking system with automatic deadlock	None	Key or thumbturn and lever handle	-
44	Tindall Engineering Limited	Mico Elite MD3	Single-point locking system with manual deadlock	None	Key or thumbturn and lever handle	-
45	Tindall Engineering Limited	Mico Elite SATE AD3 / USCH2	Single-point emergency exit device with automatic deadlock	Key via USCH2 cylinder guard and lever handle	Lever handle	A to BJ
46	Tindall Engineering Limited	Mico Elite MD3 / USCH2	Single-point locking system with manual deadlock	Key via USCH2 cylinder guard and lever handle	Key or thumbturn and lever handle	A to BJ
47	Tindall Engineering Limited	Mico Elite SATE MD3 / USCH2	Single-point emergency exit device with manual deadlock	Key via USCH2 cylinder guard and lever handle	Lever handle	A to BJ
48	Tindall Engineering Limited	Mico Elite EM3 / USCH2	Single point locking system with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Electro-mechanical access control device with key override (via USCH2 cylinder guard) and lever handle	Electro-mechanical access control device with thumbturn override and lever handle	A to BJ
49	Tindall Engineering Limited	Mico Elite EM3	Single point locking system with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Electro-mechanical access control device and lever handle	Electro-mechanical access control device with thumbturn override and lever handle	-

This certificate and appendix is maintained and held in force through regular surveillance activities


Signed for BRE Global Ltd.

Chris Vurley
Verifier

23 February 2024
Date of Issue

15 April 2013
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 312f Bradbury Security

Issue: 10

Compatible Locking System	Manufacturer	Model	Type	Compatible Operating Device		Compatible Cylinders
				External Face	Internal Face	
50	Tindall Engineering Limited	Mico Elite SATE EM3 / USCH2	Single-point emergency exit device with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Lever handle plus external access control entry device and key override via USCH2 cylinder guard	Lever handle	A to BJ
51	Tindall Engineering Limited	Mico Elite SATE EM3	Single-point emergency exit device with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Electro-mechanical access control device and lever handle	Lever handle	-
52	Tindall Engineering Limited	Mico Abryll PE1/ Standard H&S2	Single point emergency exit device	Padlockable hasp & staple device Standard H&S2	Push pad	a to v
53	Tindall Engineering Limited	Mico Abryll PE2/ Standard H&S2	Single point panic exit device	Padlockable hasp & staple device Standard H&S2	Panic bar	a to v
54	Tindall Engineering Limited	Mico Abryll PE3/ Standard H&S2	Single point emergency exit device	Padlockable hasp & staple device Standard H&S2	Lever handle	a to v
55	Tindall Engineering Limited	Mico Elite PE2	Single point panic exit device	None	Panic bar	-
56	Tindall Engineering Limited	Mico Elite PE2/ Standard H&S2	Single point panic exit device	Padlockable hasp & staple device Standard H&S2	Panic bar	a to v
57	Tindall Engineering Limited	Mico Elite PE1	Single point emergency exit device	None	Push pad	-
58	Tindall Engineering Limited	Mico Elite PE1/ Standard H&S2	Single point emergency exit device	Padlockable hasp & staple device Standard H&S2	Push pad	a to v
59	Tindall Engineering Limited	Mico Elite SATE MD1 / USCH2	Single-point emergency exit device with manual deadlock	Key via USCH2 cylinder guard and lever handle	Push pad	A to BJ

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Vurley
Verifier

23 February 2024
Date of Issue

15 April 2013
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 312f Bradbury Security

Issue: 10

Compatible Locking System	Manufacturer	Model	Type	Compatible Operating Device		Compatible Cylinders
				External Face	Internal Face	
60	Tindall Engineering Limited	Mico Elite SATE MD2 / USCH2	Single-point panic exit device with manual deadlock	Key via USCH2 cylinder guard and lever handle	Panic bar	A to BJ
61	Tindall Engineering Limited	Mico Elite SATE EM1 / USCH2	Single-point emergency exit device with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Lever handle plus external access control entry device and key override via USCH2 cylinder guard	Push pad	A to BJ
62	Tindall Engineering Limited	Mico Elite SATE EM2 / USCH2	Single-point panic exit device with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Lever handle plus external access control entry device and key override via USCH2 cylinder guard	Panic bar	A to BJ
63	Tindall Engineering Limited	Mico Elite SATE EM1	Single-point emergency exit device with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Electro-mechanical access control device and lever handle	Push pad	-
64	Tindall Engineering Limited	Mico Elite SATE EM2	Single-point panic exit device with solenoid deadlocking and 12 V electro-mechanical access control ^{4,5}	Electro-mechanical access control device and lever handle	Panic bar	-

Compatible Cylinders

Cylinder Reference	Manufacturer	Model	Type
A	Abloy	Protec CY201 PT	Scandinavian Oval
B	Abloy	Disklock Pro CY201 DP	Scandinavian Oval
C	Abloy	Protec Cliq CY201 ⁵	Scandinavian Oval (mechatronic)
D	ASSA	4401dp	Scandinavian Oval
E	ASSA	4401 Cliq ⁵	Scandinavian Oval (mechatronic)

This certificate and appendix is maintained and held in force through regular surveillance activities


Signed for BRE Global Ltd.

Chris Vurley
Verifier

23 February 2024
Date of Issue

15 April 2013
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 312f Bradbury Security

Issue: 10

Cylinder Reference	Manufacturer	Model	Type
F	ASSA	4407dp	Scandinavian Oval
G	ASSA	4407 Cliq ⁵	Scandinavian Oval (mechatronic)
H	ASSA	4801	Scandinavian Oval
I	ASSA	4807	Scandinavian Oval
J	ASSA	C5801	Scandinavian Oval
K	ASSA	C5807	Scandinavian Oval
L	ASSA	Twin 7601	Scandinavian Oval
M	ASSA	Twin 7607	Scandinavian Oval
N	Kaba	K20	Scandinavian Oval
O	Kaba	Quattro PluS	Scandinavian Oval
P	Locken	CL-PL2WR ⁵	Scandinavian Oval (mechatronic)
Q	Medeco	M3-ARX	Scandinavian Oval
R	Abloy	Protec2 CY201-TT	Scandinavian Oval
S	Abloy	Protec2 Cliq / Cliq Remote CY201-TT-CLIQ ⁵	Scandinavian Oval (Mechatronic)
T	Access2	Tigris Omega	Scandinavian Oval
U	Access2	Tigris Plus	Scandinavian Oval
V	Access2	Tigris Premier	Scandinavian Oval
W	Access2	Tigris Premier Two	Scandinavian Oval
X	Access2	Tigris Premier Three	Scandinavian Oval
Y	ISEO	F6 extra	Scandinavian Oval
Z	ISEO	R11	Scandinavian Oval
AA	ISEO	R50	Scandinavian Oval
AB	Kaba	expert	Scandinavian Oval
AC	Kaba	Gege RAM	Scandinavian Oval
AD	Kaba	Gege pExtra	Scandinavian Oval
AE	KESO	4000S	Scandinavian Oval
AF	Abloy	Novel CY201-VL	Scandinavian Oval
AG	KESO	2000S	Scandinavian Oval
AH	iLOQ	C10S.1 ⁵	Scandinavian Oval (Mechatronic)
AI	Abloy	Protec CY403	Rim

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Vurley
Verifier

23 February 2024
Date of Issue

15 April 2013
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 312f Bradbury Security

Issue: 10

Cylinder Reference	Manufacturer	Model	Type
AJ	Kaba	Quattro Plus	Rim
AK	Medeco	M3-ARX	Rim
AL	ASSA	4857	Rim
AM	ASSA	C5857	Rim
AN	Abloy	Protec CY405-PT	Rim
AO	Abloy	Protec2 CY403-TT	Rim
AP	Abloy	Protec2 CY405-TT	Rim
AQ	Abloy	Protec Cliq / Cliq Remote CY403-PT-CLIQ ⁵	Rim (Mechatronic)
AR	Abloy	Protec2 Cliq / Cliq Remote CY403-TT-CLIQ ⁵	Rim (Mechatronic)
AS	ASSA	Twin-Combi C5851	Rim
AT	ISEO	F6 extra	Rim
AU	ISEO	R11	Rim
AV	ISEO	R50	Rim
AW	Kaba	K20	Rim
AX	KESO	4000S	Rim
AY	Yale	X5	Rim
AZ	Abloy	Disclock Pro CY403-DP	Rim
BA	Abloy	Disclock Pro CY405-DP	Rim
BB	Abloy	Novel CY403-VL	Rim
BC	Abloy	Novel CY405-VL	Rim
BD	Bramah	C17	Rim
BE	KESO	2000S	Rim
BF	ABUS	Vitess 1000	Rim
BG	ABUS	Bravus 2000	Rim
BH	ABUS	Vitess 1000	Scandinavian Oval
BI	ABUS	Bravus 2000	Scandinavian Oval
BJ	Schlage	MC201	Rim

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Vurley
Verifier

23 February 2024
Date of Issue

15 April 2013
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 312f Bradbury Security

Issue: 10

Compatible Padlocks

Padlock Reference	Padlock		Cylinder	
	Manufacturer	Model	Manufacturer	Model
a	Abloy	PL340/25	Abloy	Disklock Pro
b	Abloy	PL340/25	Abloy	High Profile
c	Abloy	PL340/25	Abloy	Novel
d	Abloy	PL340/25	Abloy	Protec
e	Abloy	PL340/25	Abloy	Protec2
f	Abloy	PL340/25	Abloy	Sentry
g	Abloy	PL342	Abloy	Disklock Pro
h	Abloy	PL342	Abloy	High Profile
i	Abloy	PL342	Abloy	Novel
j	Abloy	PL342	Abloy	Protec
k	Abloy	PL342	Abloy	Protec2
l	Abloy	PL342	Abloy	Sentry
m	Abloy	PL350/25	Abloy	High Profile
n	Abloy	PL350/25	Abloy	Exec
o	Abloy	PL350/25	Abloy	Disklock Pro
p	Abloy	PL350/25	Abloy	Protec
q	Abloy	PL350/25	Abloy	Sentry
r	Kaba	KP18	Kaba	K20
s	Squire	SS50	Squire	6 Pin
t	Squire	SS50	Medeco	M3 ARX
u	Squire	SS65	Squire	6 Pin
v	Squire	SS65	Medeco	M3 ARX

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Vurley
Verifier

23 February 2024
Date of Issue

15 April 2013
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 312f Bradbury Security

Issue: 10

Accessories⁶

Accessory	Description
External lock cover shroud	External padlockable shroud covering the external hardware
Low profile aluminium sill ⁷	Low profile aluminium sill
Vision panels ^{8,9}	356 mm high by 203 mm wide vision panel incorporating a 45.04 mm thick specialist laminated double glazed security glazing unit
	762 mm high by 203 mm wide vision panel incorporating a 45.04 mm thick specialist laminated double glazed security glazing unit
	457 mm high by 457 mm wide vision panel incorporating a 45.04 mm thick specialist laminated double glazed security glazing unit
	356 mm high by 203 mm wide vision panel incorporating a 45.5 mm thick specialist laminated security glass
	762 mm high by 203 mm wide vision panel incorporating a 45.5 mm thick specialist laminated security glass
	457 mm high by 457 mm wide vision panel incorporating a 45.5 mm thick specialist laminated security glass
'M2M' vision panel ⁸	427 mm to 833 mm high by 274 mm to 508 mm wide vision panel incorporating LPS 1270 approved specialist laminated security glass
Bradbury XV louvre panel ⁹	Aluminium louvre panel externally with reinforced internal inner cover ¹⁰
Surelock McGill Max Air XA4 louvre panel ⁹	Individual Max Air louvre panel, as approved within the scope covered by LPCB Certificate Number 516-1a ¹¹
SC570 alarm contact	Surface mounted magnetic alarm contact

Notes

1. The M2M² double leaf doorsets can be produced with leafs of unequal width. The minimum width of the active leaf is 750 mm.
2. The double leaf doorset achieves a Security Rating 1 when left in the minimum locked condition, i.e. when only one surface mounted drop bolt on the passive leaf is engaged and the locking mechanism on the active leaf is engaged.
3. Certification does not cover the use of locks other than those listed. Utilisation of unlisted locks may affect the level of security offered by the doorset.
4. Fail secure version only.
5. The resistance of the access control locks or mechatronic cylinders to "non-mechanical" attack has not been assessed as it is outside the scope of LPS 1175. Likewise, the approval does not cover possible effects of any susceptibilities relating to the functionality and performance of any access control equipment or cylinders that may be used to operate these locking systems. This is because the scope of access control devices and system configurations that may be used with these locking systems is "infinite". It is therefore recommended that Bradbury Security satisfy themselves that the components are either resistant to mechanical and other forms of tampering/abuse, or

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Vurley
Verifier

23 February 2024
Date of Issue

15 April 2013
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 312f Bradbury Security

Issue: 10

that they are suitably protected from such tampering/abuse and are resistant to any environmental conditions/interference that may cause the locking system to disengage.

6. Certification does not cover the use of vision or louvre panels or other accessories that are not listed. Utilisation of other accessories may affect the level of security offered by the doorset.
7. The standard (stepped) threshold must always be used on doorsets incorporating either glazed apertures or locking mechanisms incorporating single action escape panic exit systems operated by panic bars.
8. Doorsets fitted with upper and lower glazed apertures should not incorporate hardware operated by a panic bar. The position of the vision panel depends on the locking hardware fitted. Please refer to the manufacturer for more details.
9. Doorsets fitted with louvre panels should not incorporate single action emergency exit hardware. Certification covers deadlocked hardware operated by an internal key or thumbturn. Louvre panels should be located a minimum distance of 100 mm from a tower bolt on the passive door leaf.
10. The louvre cut-out size in the door leaf is a minimum width or height of 457 mm and a maximum width or height of 1957 mm.
11. The louvre cut-out size in the door leaf is a minimum width or height of 457 mm and a maximum width or height of 900 mm.

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Vurley
Verifier

23 February 2024
Date of Issue

15 April 2013
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre